
Vanguard Laboratory
2635 Parkmont Ln
Olympia, Wa 98502
360-967-7010

Certificate of Analysis


PEG MGF 5 mg

Report To:
Peptagon

Compound: PEG MGF
Amount: 5 mg
Laboratory ID: V260917-9 006
Lot Number: PMG5N080726
Date Released: 10/20/2026



Analysis	Method	Result
Identity	HPLC-UV/VIS	Pass - Matches Ref. Standard
Chromatographic Purity	HPLC-UV/VIS	>99.80%
Quantity	HPLC-UV/VIS	4.60 mg
Fentanyl Screening	Immunoassay	Pass - <50 ng/mL



ISO 17025:2017 ACCREDITED LABORATORY

Report By: Dustin Newman, Laboratory Director on 10/20/2026

Approved By: Tori Johnson, Operations Manager on 10/20/2026

Please consult A2LA Certificate #6377.01.01 for a list of accredited tests. Samples were received in acceptable condition. The result(s) in this report relate only to the portion of the sample(s) tested. All analyses were performed consistent with the Vanguard Laboratory Quality Management System. Vanguard Laboratory and its staff did not observe or participate in the sample selection process, and cannot confirm the authenticity of the sample or its representativeness of the associated lot/batch. Blend purity is the combined chromatographic area % of peaks identified as the intended components, not absolute mass purity. It does not establish individual component purity, quantity, or ratio. Co-eluting or otherwise undetected impurities may not be included, despite peak-purity and spectral-library review.

Vanguard Laboratory
2635 Parkmont Ln
Olympia, Wa 98502
360-967-7010

Certificate of Analysis

PEG MGF 5 mg

Report To:
Peptagon

Compound: PEG MGF
Amount: 5 mg
Laboratory ID: V260917-9 006
Lot Number: PMG5N080726
Date Released: 10/20/2026

Analysis	Method	Result
Endotoxins	LAL	<11.8 EU/vial

Run ID: 260924,25

Analysis	Method	Result
Container Closure Integrity	Dye Ingress Method	Pass

Report By: Dustin Newman, Laboratory Director on 10/20/2026

Approved By: Tori Johnson, Operations Manager on 10/20/2026

ND: Non-Detect
LOD: Limit of Quantification

ISO 17025:2017 ACCREDITED LABORATORY

Please consult A2LA Certificate #6377.01.01 for a list of accredited tests. Samples were received in acceptable condition. The result(s) in this report relate only to the portion of the sample(s) tested. All analyses were performed consistent with the Vanguard Laboratory Quality Management System. Vanguard Laboratory and its staff did not observe or participate in the sample selection process, and cannot confirm the authenticity of the sample or its representativeness of the associated lot/batch.